

GIRGRES

porcelain pavers



20MM 
OUTDOOR
PORCELAIN TILES

20MM OUTDOOR

20MM  —



INDEX

20MM OUTDOOR

20MM



5

SIZES

40

SERIES

121

COLOURS

- 08 1. INTRODUCTION
- 10 2. RESIDENTIAL AND COMMERCIAL
- 12 3. INDOOR AND OUTDOOR
- 14 4. ADVANTAGES
- 16 5. LAYING INSTALLATION SOLUTION
- 18 6. SIZES
- 266 7. TECHNICAL CHARACTERISTICS

CEMENT

22 ROCKLAND				28 STATION							
	Lgy	Grey	Beige		Grey	Bianco	Caffee				
34 ADIRA					40 SOUL STONE						
	Silver	Beige	Caffee	Verde		Ash	Grey	Beige			
46 LIME STONE			50 CEMENTINO								
	Grey	Beige						Ash	Grey	Nero	Beige
56 AREZZO			60 AOSTA								
	Lgy	Dgy						White	Grey	Crema	

MARBLE

68 STATUARIO		72 ROYAL CARRARA	
	Nevo Extra		Carrara

STONE

78 KANDLA GREY			82 RAJ GREEN						
	Natural	Swan		Green	Swan				
86 RAPULANO					92 REXTRON				
	Mix Bianco	Mix Nero	Mix Tan	Mix Beige		Silver	Caffee	Beige	
98 SANDROCK				104 TRAVINO					
	Silver	Nero	Beige		White	Bianco	Caffee		
110 ROUGH BRUNO		114 COUNTY							
	Bruno				Lgy	Ivory	Grls	Anthracite	Crema

STONE

122 OYESTER					128 CONCORD						
	Bianco	Silver	Nero	Beige		Grey	Gris	Steel	Ivory		
134 BROWN HILL					140 ICARUS						
	Lgy	Gris	Dark Grey	Beige		Silver	Grey	Nero	Beige	Ivory	
148 SLATE STONE			152 HAZZEL STONE								
	Steel	Grey				Ash	Crema	Beige			
158 EARTHAN				164 PACIFIC BROWN							
	Grey	Nero	Beige				Brown				
168 VIETNAM GOLD				174 SLATE IMPERIO							
	Ash	Azul	Black				Slate Imperio				
178 DUNE						186 COTTO					
	Silver	Grey	Caffee	Nero	Beige				Ash	Crema	Beige
192 BESIDE		196 CEPP0									
	Grey				Grey	Bianco	Ivory				
202 BRAZILIAN						210 CALIFORNIA					
	Lgy	Grey	Gris	Dgy	Black				Gold		
214 ESPRIT			220 BASALT								
	Grey	Nero				Grey	Natural				
224 QUARTZITE		228 QUARTZ									
	Natural				Grey	Dark Grey	Nero	White			
234 HAMMER STONE				240 TRAVERTINO RAPULANO							
	Grey	Nero	Beige				Silver	Crema	Gold		
246 NATURAL SLATE		250 COBBLE STONE									
	Slate				Ash	Grey	Nero				
256 BLUE STONE			260 NOOR								
	Grey	Black				Lgy	Grigio	Crema			

INTRODUCTION

ENDURING ELEGANCE:
TIMELESS BEAUTY,
SEASON AFTER SEASON



ANTI-SLIP CTE3/R11
SOFTER TEXTURE



LOW MAINTENANCE,
HIGH IMPACT:
A WINNING COMBINATION



RESIDENTIAL AND COMMERCIAL



RESIDENCE AREA



GARDENS



STAIRS



TERRACES



WALLS



PATIOS



POOLS

PUBLIC AREA



INDUSTRIAL AREAS



OUTDOOR RESTAURANTS



SEASIDE AREAS



PUBLIC OUTDOOR AREAS



PUBLIC POOLS



RESIDENTIAL AREAS



INDOOR AND OUTDOOR

ADVANTAGES



EASY INSTALLATION



SCRATCH RESISTANT



FADE RESISTANT



EASY TO CLEAN



ANTI-SLIP



FROST PROOF



RESISTANT TO SALTS



RESISTANT TO MOSS AND MOLDING



EASY TO REPLACE



RESISTANT TO ACID AND CHEMICALS



ECO FRIENDLY



RESISTANT TO LIGHT TRAFFIC



STAIN RESISTANT



NO SEALING NEEDED



LOW MAINTENANCE COST



RESISTANT TO THERMAL SHOCK

LAYING INSTALLATION SOLUTIONS



TRADITIONAL LAYING SYSTEM

HOW TO INSTALL ON SCREED

- Dig up and compact the ground
- Place a layer of crushed stone and gravel.
- Place the slab including optional steel mesh.
- Install 20MM using an exterior-rated elastic adhesive.
- Leave a joint of at least 2 mm and foresee the expansion joints.



SAND LAYING SYSTEM


INSTALLATION ON SAND CAN BE DONE IN TWO WAYS

1. ON SUBSTRATE, TO IMPROVE STABILITY OVERTIME

- Dig 20 cm into the sandy ground.
- Position and compact crushed stone or gravel layer (Granulometry 4-8 mm)
- Add a 2 cm sand layer
- Dry lay Rio Stone 20MM.

2. DIRECT

- Level and compact the sand
- Dry lay Rio Stone 20MM



GRAVEL LAYING SYSTEM

HOW TO INSTALL

- Dig the soil at least 10 cm deep in warm and dry climate, or deeper in cold or wet climates.
- Compact the soil on the bottom and ensure it is leaning (2%) to avoid water stagnation.
- Optional - place a layer of geotextile.
- Place and compact a layer of crushed stone or gravel (size 4-8 mm).
- Place and compact a layer of fine gravel or sand (size 2-5 mm) to ease the leveling of the surface.
- Ensure the surfaces levelled using a straightedge. A slight slope (1%) is recommended to ensure a proper drainage of the floor.
- Lay 20MM RioStone dry leaving joints at least 2 mm wide. Tile spacers can be used to ease installation. Ensure the floor is levelled with a straightedge and use a rubber hammer to correct small differences in height.
- Fill the joints with very thin sand (size 0-3 mm) or polymeric sand.



GRASS LAYING SYSTEM

INSTALLATION ON GRASS CAN BE ACCOMPLISHED IN TWO WAYS


1. ON GRAVEL BASE

- Remove the Grass in the area underneath 20mm
- DIG 5CM deep in warm and dry climate, or deeper in cold or wet climate
- Compact the Soil
- Fill the excavated area with gravel (size 4-8mm) or sand compact it
- Lay 20mm RioStone Dry

2. DIRECT

- Place the tile on grass leaving 4-5cm wide joints to allow the grass to grow.
- Result will be long lasting but stability will be subject to soil movement.

14
15



RAISED LAYING SYSTEM

HOW TO INSTALL

- On terraces or accessible attics, it is possible to build a raised level flooring that still allows rainwater drainage.
- After the slab and its sloping screed are complete, install the water roofing membrane.
- Position the pedestals according to the chosen sizes, if necessary use the slope correctors.
- During the installation, adjust each pedestal to achieve a flat floor.



SIZES



24x24 in.



32x32 in.



24x32 in.




24x48 in.



12x48 in.

Cement *Collection*

In the realm of exterior design, tiles with a seamless nature stand as a testament to the pursuit of visual harmony and uninterrupted beauty. Meticulously crafted to create a continuous and unbroken visual flow across surfaces, these tiles redefine the aesthetics of a space, fostering an atmosphere of elegance and sophistication.



ROCKLAND



Rockland Beige 24x36 in.



COLORS



Rockland Lgy 24x36 in.




Lgy




20MM ■ OUTDOOR PORCELAIN | 600x900mm / 24x36 in. | 600x600mm / 24x24 in.

ROCKLAND


Lgy 24x24 in.




Beige 24x24 in.



Grey 24x24 in.



Rockland Lgy 24x24 in.




Rockland Grey 24x24 in.



ROCKLAND


Lgy 24x36 in




Beige 24x36 in



Grey 24x36 in



Rockland Lgy 24x36 in



Rockland Grey 24x36 in



STATION



Station Bianco 24x36 in.



COLORS



Station Caffee 24x36 in.



Caffee




20MM ■ OUTDOOR PORCELAIN | 600x900mm / 24x36 in. | 600x600mm / 24x24 in.

STATION

Grey 24x24 in



Bianco 24x24 in



Caffee 24x24 in



Station Grey 24x24 in



Station Caffee 24x24 in



STATION

Grey 24x36 in.



Bianco 24x36 in.



Caffee 24x36 in.



Station Grey 24x36 in.



Station Caffee 24x36 in.



ADIRA



Adira Caffee 24x36 in.



COLORS



Adira Beige 24x36 in.




Beige




20MM ■ OUTDOOR PORCELAIN | 600x900mm / 24x36 in. | 600x600mm / 24x24 in.

ADIRA


Beige 24x24 in.




Silver 24x24 in.



Caffee 24x24 in.



Verde 24x24 in.



Adira Beige 24x24 in.




Adira Caffee 24x24 in.



ADIRA


Siver 24x36 in.




Beige 24x36 in.



Verde 24x36 in.



Caffee 24x36 in.



Adira Silver 24x36 in.



Adira Verde 24x36 in.



SOULSTONE



Soulstone Ash 24x24 in. / 24x36 in.



COLORS



Soulstone Grey 24x36 in.

Grey



20MM ■ OUTDOOR PORCELAIN | 600x900mm / 24x36 in. | 600x600mm / 24x24 in.

SOULSTONE


Grey 24x24 in.



Ash 24x24 in.



Beige 24x24 in.



Soulstone Grey 24x24 in.



Soulstone Beige 24x24 in.




SOULSTONE

Ash 24x36 in.



Beige 24x36 in.



Grey 24x36 in.



Soulstone Ash 24x36 in.



Soulstone Grey 24x36 in.



LIMESTONE



Limestone Ivory 24x36 in.



COLORS



Limestone Grey 24x36 in.



Grey



20MM ■ OUTDOOR PORCELAIN | 600x900mm / 24x36 in. | 600x600mm / 24x24 in.

LIMESTONE

Ivory 24x24 in.



Grey 24x24 in.



Grey 24x36 in.



Ivory 24x36 in.



Limestone Ivory 24x24 in.



Limestone Grey 24x36 in.



CEMENTINO



Cementino Ash 24x36 in.



COLORS



Cementino Grey 24x36 in.



Grey




20MM  OUTDOOR PORCELAIN | 600x900mm / 24x36 in. | 600x600mm / 24x24 in.

CEMENTINO


Ash 24x24 in.




Grey 24x24 in.




Nero 24x24 in.



Beige 24x24 in.



Cementino Ash 24x24 in.




Cementino Nero 24x24 in.



CEMENTINO


Nero 24x36 in.



Ash 24x36 in.



Beige 24x36 in.



Grey 24x36 in.



Cementino Nero 24x36 in.




Cementino Beige 24x36 in.



AREZZO



Arezzo Lgy 24x24 in.



COLORS



Arezzo Dgy 24x36 in.




Dgy



20MM ■ OUTDOOR PORCELAIN | 600x900mm / 24x36 in. | 600x600mm / 24x24 in.

AREZZO


Dgy 24x24 in.



Lgy 24x24 in.



Lgy 24x36 in.



Dgy 24x36 in.



Arezzo Dgy 24x24 in.



Arezzo Lgy 24x36 in.



AOSTA



Aosta Grey 24x36 in.




COLORS



Aosta White 24x36 in.



White



20MM ■ OUTDOOR PORCELAIN | 600x900mm / 24x36 in. | 600x600mm / 24x24 in.

AOSTA

Aosta Grey 24x24 in.




Aosta White 24x24 in.



Aosta Crema 24x24 in.



Aosta Grey 24x24 in.



Aosta Crema 24x24 in.



AOSTA


White 24x36 in.



Grey 24x36 in.



Crema 24x36 in.



Aosta White 24x36 in.



Aosta Crema 24x36 in.



Marble *Collection*

Marble, renowned for its timeless beauty and unrivaled elegance, has long been revered as a symbol of opulence and sophistication. As a flooring material, marble transcends trends, imparting a sense of luxury and grandeur to spaces.



20MM OUTDOOR PORCELAIN

STATUARIO



Statuario Nevo Extra 24x36 in.



COLORS



Statuario Nevo Extra 24x36 in.



Nevo Extra



20MM  OUTDOOR PORCELAIN | 600x900mm / 24x36 in. | 600x600mm / 24x24 in.

STATUARIO

Nevo Extra 24x24 in.



Statuario Nevo Extra 24x36 in.



Nevo Extra 24x36 in.



ROYAL CARRARA



Royal Carrara 24x24 in.



COLORS



Royal Carrara 24x36 in.



Carrara



20MM ■ OUTDOOR PORCELAIN | 600x900mm / 24x36 in. | 600x600mm / 24x24 in.

ROYAL

Royal Carrara 24x24 in.



Royal Carrara 24x24 in.



Royal Carrara 24x36 in.



Stone *Collection*

In the world of design, the aesthetic value of stone transcends mere functionality. Renowned for its timeless elegance, stone stands as a testament to the artistry of nature, captivating the senses and transforming spaces into breathtaking masterpieces.



KANDLA GREY



Kandala Grey Mix



FINISHES



Kandala Grey 24x36 in.



Grey




20MM ■ OUTDOOR PORCELAIN | 600x900mm / 24x36 in. | 600x600mm / 24x24 in.

KANDLA GREY

Grey 24x24 in.



Grey Swan 24x24 in.



Grey 24x36 in.



Grey Swan 24x36 in.



Kandla Grey Swan Mix



RAJ GREEN



Raj Green 24x36 in.



FINISHES



Raj Green Swan Mix 24x36 in.



Raj Green



20MM ■ OUTDOOR PORCELAIN | 600x900mm / 24x36 in. | 600x600mm / 24x24 in.

RAJ GREEN

Raj Green 24x24 in.



Raj Green Swan 24x24 in.



Raj Green Swan Mix



Raj Green 24x36 in.



Raj Green Swan 24x36 in.



RAPULANO



Rapulano Mix Tan 24x36 in.




COLORS



Rapulano Mix Nero 24x36 in.



Mix Nero




20MM ■ OUTDOOR PORCELAIN | 600x900mm / 24x36 in. | 600x600mm / 24x24 in.

RAPULANO

Mix Tan 24x24 in.



Mix Nero 24x24 in.



Mix Beige 24x24 in.



Mix Bianco 24x24 in.



Rapulano Mix Tan 24x24 in.




Rapulano Mix Beige 24x24 in.



RAPULANO

Mix Bianco 24x36 in.




Mix Tan 24x36 in.



Mix Nero 24x36 in.



Mix Beige 24x36 in.



Rapulano Mix Bianco 24x36 in.




Rapulano Mix Nero 24x36 in.



REXTRON



Rextron Caffee 24x36 in.



COLORS



Rextron Silver 24x36 in.




Silver



20MM ■ OUTDOOR PORCELAIN | 600x900mm / 24x36 in. | 600x600mm / 24x24 in.

REXTRON


Silver 24x24 in.



Caffee 24x24 in.



Beige 24x24 in.



Rextron Silver 24x24 in.




Rextron Beige 24x24 in.




REXTRON

Beige 24x36 in.




Silver 24x36 in.



Caffee 24x36 in.



Rextron Beige 24x36 in.



Rextron Caffee 24x36 in.



SANDROCK



Sandrock Nero 24x24 in.



COLORS



Sandrock Beige 24x36 in.

Beige



20MM ■ OUTDOOR PORCELAIN | 600x900mm / 24x36 in. | 600x600mm / 24x24 in.

SANDROCK

Silver 24x24 in.



Nero 24x24 in.



Beige 24x24 in.



Sandrock Silver 24x24 in.



Sandrock Beige 24x24 in.



SANDROCK

Silver 24x36 in.



Nero 24x36 in.



Beige 24x36 in.



Sandrock Silver 24x36 in.



Sandrock Beige 24x36 in.



TRAVINO



Travino White 24x36 in.



COLORS



Travino Caffee 24x36 in.



Caffee



20MM ■ OUTDOOR PORCELAIN | 600x900mm / 24x36 in. | 600x600mm / 24x24 in.

TRAVINO

White 24x24 in.



Bianco 24x24 in.



Caffee 24x24 in.



Travino White 24x24 in.



Travino Caffee 24x24 in.



TRAVINO

Bianco 24x36 in.



White 24x36 in.



Caffee 24x36 in.



Travino Bianco 24x36 in.



Travino Caffee 24x36 in.



ROUGH BRUNO



Rough Bruno 24x36 in.



COLORS



Rough Bruno 24x36 in.




Rough Bruno



20MM ■ OUTDOOR PORCELAIN | 600x900mm / 24x36 in. | 600x600mm / 24x24 in.

ROUGH BRUNO

Rough Bruno 24x24 in.



Rough Bruno 24x24 in.



Rough Bruno 24x24 in.



COUNTY



County Lgy 24x36 in.



COLORS



County Crema 24x36 in.



Crema



20MM ■ OUTDOOR PORCELAIN | 600x900mm / 24x36 in. | 600x600mm / 24x24 in.

COUNTY

Lgy 24x24 in.



Gris 24x24 in.



Crema 24x24 in.



Anthracite 24x24 in.



County Lgy 24x24 in.



County Crema 24x24 in.




COUNTY

Ivory 24x24 in.



County Ivory 24x36 in.



Ivory 24x36 in.



COUNTY

Lgy 24x36 in.



Crema 24x36 in.



Gris 24x36 in.



Anthracite 24x36 in.



County Lgy 24x36 in.



County Gris 24x36 in.



OYSTER



Oyster Silver 24x36 in.



COLORS



Oyster Beige 24x36 in.



Beige



20MM ■ OUTDOOR PORCELAIN | 600x900mm / 24x36 in. | 600x600mm / 24x24 in.

OYSTER

Bianco 24x24 in.



Silver 24x24 in.



Nero 24x24 in.




Beige 24x24 in.



Oyster Bianco 24x24 in.



Oyster Nero 24x24 in.



OYSTER

Silver 24x36 in.



Nero 24x36 in.



Bianco 24x36 in.



Beige 24x36 in.



Oyster Silver 24x36 in.



Oyster Bianco 24x36 in.




CONCORD



Concord Grey 24x36 in.



COLORS



Concord Gris 24x36 in.



Gris



20MM ■ OUTDOOR PORCELAIN | 600x900mm / 24x36 in. | 600x600mm / 24x24 in.

CONCORD

Grey 24x24 in.




Steel 24x24 in.



Gris 24x24 in.



Ivory 24x24 in.



Concord Grey 24x24 in.



Concord Gris 24x24 in.



CONCORD

Grey 24x36 in.



Gris 24x36 in.




Ivory 24x36 in.




Steel 24x36 in.



Concord Grey 24x36 in.



Concord Ivory 24x36 in.



BROWNHILL




Brownhill Beige 24x36 in.



COLORS



Brownhill Lgy 24x36 in.



Lgy



20MM ■ OUTDOOR PORCELAIN | 600x900mm / 24x36 in. | 600x600mm / 24x24 in.

BROWNHILL


Lgy 24x24 in.



Gris 24x24 in.



Beige 24x24 in.



Dark Grey 24x24 in.



Brownhill Lgy 24x24 in.



Brownhill Beige 24x24 in.



BROWNHILL

Gris 24x36 in.



Lgy 24x36 in.



Dark Grey 24x36 in.



Beige 24x36 in.



Brownhill Gris 24x36 in.



Brownhill Dark grey 24x36 in.



ICARUS



Icarus Beige 24x36 in.



COLORS



Icarus Silver 24x36 in.



Silver



20MM ■ OUTDOOR PORCELAIN | 600x900mm / 24x36 in. | 600x600mm / 24x24 in.

ICARUS


Ivory 24x24 in.



Grey 24x24 in.



Nero 24x24 in.



Beige 24x24 in.



Icarus Ivory 24x24 in.



Icarus Nero 24x24 in.



ICARUS

Silver 24x24 in.



Icarus Silver 24x36 in.



Silver 24x36 in.



ICARUS


Beige 24x36 in.



Icarus Ivory 24x36 in.




Nero 24x36 in.



Grey 24x36 in.



Icarus Beige 24x36 in.



Icarus Nero 24x36 in.



SLATE STONE



Slate Stone Grey 24x36 in.



COLORS



Slate Stone Steel 24x36 in.



Steel



20MM ■ OUTDOOR PORCELAIN | 600x900mm / 24x36 in. | 600x600mm / 24x24 in.

SLATE STONE

Steel 24x24 in.



Grey 24x24 in.



Steel 24x36 in.



Grey 24x36 in.



Slate Stone Grey 24x24 in.



Slate Stone Steel 24x36 in.



HAZZEL STONE



Hazzel Stone Crema 24x36 in.



COLORS



Hazzel Stone Ash 24x36 in.



Ash



20MM  OUTDOOR PORCELAIN | 600x900mm / 24x36 in. | 600x600mm / 24x24 in.

HAZZEL STONE

Crema 24x24 in.



Ash 24x24 in.



Beige 24x24 in.



Hazzel Stone Crema 24x24 in.



Hazzel Stone Beige 24x24 in.



HAZZEL STONE

Ash 24x36 in.



Beige 24x36 in.



Crema 24x36 in.



Hazzel Stone Ash 24x36 in.



Hazzel Stone Crema 24x36 in.



EARTHAN



Earthan Beige 24x36 in.



COLORS



BEIGE



GREY



NERO

Earthan Grey 24x36 in.



Grey



20MM ■ OUTDOOR PORCELAIN | 600x900mm / 24x36 in. | 600x600mm / 24x24 in.

EARTHAN

Grey 24x24 in.




Nero 24x24 in.



Beige 24x24 in.



Earthan Grey 24x24 in.



Earthan Beige 24x24 in.



EARTHAN

Grey 24x36 in.



Nero 24x36 in.



Beige 24x36 in.



Earthan Grey 24x36 in.



Earthan Beige 24x36 in.



PACIFIC BROWN



Pacific brown 24x36 in.



COLORS



Pacific brown 24x36 in.



Brown



20MM ■ OUTDOOR PORCELAIN | 600x900mm / 24x36 in. | 600x600mm / 24x24 in.

PACIFIC BROWN

Brown 24x24 in.



Pacific brown 24x24 in.



Brown 24x36 in.



VIETNAM GOLD



Vietnam Gold Ash 24x36 in.



COLORS



Vietnam Gold Azul 24x36 in.



Azul




20MM ■ OUTDOOR PORCELAIN | 600x900mm / 24x36 in. | 600x600mm / 24x24 in.

VIETNAM GOLD

Ash 24x24 in.



Black 24x24 in.



Azul 24x24 in.



Vietnam Gold Ash 60x60cm



Vietnam Gold Azul 24x24 in.




VIETNAM GOLD

Ash 24x36 in.



Azul 24x36 in.



Black 24x36 in.



Vietnam Gold Ash 24x36 in.




Vietnam Gold Black 24x36 in.



SLATE IMPERIO



Slate Imperio 24x36 in.



COLORS



Slate Imperio 24x36 in.




Slate Imperio



20MM ■ OUTDOOR PORCELAIN | 600x900mm / 24x36 in. | 600x600mm / 24x24 in.

SLATE IMPERIO


Slate Imperio 24x24 in.



Slate Imperio 24x24 in.



Slate Imperio 24x36 in.



DUNE



Dune Grey 24x36 in.



COLORS



Dune Silver 24x36 in.



Silver



20MM ■ OUTDOOR PORCELAIN | 600x900mm / 24x36 in. | 600x600mm / 24x24 in.

DUNE


Caffee 24x24 in.



Dune Caffee 24x36 in.



Caffee 24x36 in.




DUNE

Silver 24x24 in.




Grey 24x24 in.



Beige 24x24 in.



Nero 24x24 in.



Dune Silver 24x24 in.




Dune Beige 24x24 in.



DUNE

Silver 24x36 in.




Beige 24x36 in.




Grey 24x36 in.



Nero 24x36 in.



Dune Silver 24x36 in.



Dune Grey 24x36 in.



COTTO



Cotto Ash 24x24 in.



COLORS



Cotto Crema 24x36 in.



Crema



20MM ■ OUTDOOR PORCELAIN | 600x900mm / 24x36 in. | 600x600mm / 24x24 in.

COTTO

Ash 24x24 in.




Crema 24x24 in.




Beige 24x24 in.



Cotto Ash 24x24 in.



Cotto Beige 24x24 in.



COTTO

Ash 24x36 in.



Crema 24x36 in.



Beige 24x36 in.



Cotto Crema 24x36 in.



Cotto Beige 24x36 in.



BESIDE



Beside Grey 24x36 in.



COLORS



Beside Grey 24x36 in.




Grey



20MM ■ OUTDOOR PORCELAIN | 600x900mm / 24x36 in. | 600x600mm / 24x24 in.

BESIDE GREY

Grey 24x24 in.



Beside Grey 24x24 in.




Grey 24x36 in.



CEPPO




Ceppo Grey 24x36 in.



COLORS



Ceppo Bianco 24x36 in.




Bianco



20MM ■ OUTDOOR PORCELAIN | 600x900mm / 24x36 in. | 600x600mm / 24x24 in.

CEPPO

Grey 24x24 in.



Ivory 24x24 in.



Bianco 24x24 in.



Ceppo Grey 24x24 in.



Ceppo Bianco 24x24 in.




CEPPO

Bianco 24x36 in.




Grey 24x36 in.



Ivory 24x36 in.



Ceppo Bianco 24x36 in.



Ceppo Ivory 24x36 in.



BRAZILIAN



Brazilian Grey 24x36 in.



COLORS



Brazilian Lgy 24x36 in.



Lgy



200
201

20MM ■ OUTDOOR PORCELAIN | 600x900mm / 24x36 in. | 600x600mm / 24x24 in.

BRAZILIAN

Grey 24x24 in.




Lgy 24x24 in.



Dgy 24x24 in.



Gris 24x24 in.



Brazilian Grey 24x24 in.




Brazilian Dgy 24x24 in.



BRAZILIAN


Black 24x24 in.



Brazilian Black 24x24 in.



Black 24x36 in.



BRAZILIAN


Lgy 24x36 in.



Grey 24x36 in.



Gris 24x36 in.



Dgy 24x36 in.



Brazilian Lgy 24x36 in.



Brazilian Gris 24x36 in.



CALIFORNIA GOLD



California Gold 24x24 in.



COLORS



California Gold 24x36 in.




Gold



20MM ■ OUTDOOR PORCELAIN | 600x900mm / 24x36 in. | 600x600mm / 24x24 in.

CALIFORNIA GOLD


Gold 24x24 in.



California Gold 24x24 in.



Gold 24x36 in.





Esprit Grey 24x36 in.



COLORS



Esprit Grey 24x36 in.



Grey



Grey 24x24 in.



Esprit Grey 24x24 in.



Nero 24x24 in.



Grey 24x36 in.



Nero 24x36 in.



Esprit Grey 24x36 in.



Esprit Grey 24x36 in.



BASALT



Basalt Grey 24x36 in.




COLORS



Basalt Natural 24x36 in.



Natural



20MM ■ OUTDOOR PORCELAIN | 600x900mm / 24x36 in. | 600x600mm / 24x24 in.

BASALT

Grey 24x24 in.




Natural 24x24 in.



Grey 24x24 in.



Natural 24x24 in.



Basalt Natural 24x24 in.



Basalt Grey 24x24 in.



QUARTZITE




Quartzite Natural 24x36 in.



COLORS



Quartzite Natural 24x36 in.



Natural



20MM ■ OUTDOOR PORCELAIN | 600x900mm / 24x36 in. | 600x600mm / 24x24 in.

QUARTZITE

Natural 24x24 in.



Natural 24x36 in.



Quartzite Natural 24x24 in.



QUARTZ



Quartz White 24x36 in.



COLORS



Quartz Grey 24x36 in.



Grey



20MM ■ OUTDOOR PORCELAIN | 600x900mm / 24x36 in. | 600x600mm / 24x24 in.

QUARTZ

Grey 24x24 in.



Nero 24x24 in.



Dark Grey 24x24 in.



White 24x24 in.



Quartz Grey 24x24 in.



Quartz Dark Grey 24x24 in.



QUARTZ

Dark Grey 24x36 in.



Grey 24x36 in.



White 24x36 in.




Nero 24x36 in.



Quartz Dark Grey 24x36 in.



Quartz White 24x36 in.



HAMMER STONE



Hammer Stone Beige 24x36 in.



COLORS



Hammer Stone Grey 24x36 in.



Grey



20MM ■ OUTDOOR PORCELAIN | 600x900mm / 24x36 in. | 600x600mm / 24x24 in.

HAMMER STONE


Grey 24x24 in.



Beige 24x24 in.



Nero 24x24 in.



Hammer Stone Grey 24x24 in.



Hammer Stone Nero 24x24 in.



HAMMER STONE

Grey 24x36 in.



Nero 24x36 in.



Beige 24x36 in.



Hammer Stone Grey 24x36 in.



Hammer Stone Beige



TRAVERTINO RAPULANO



Travertino Rapulano Crema 24x36 in.



COLORS



Travertino Rapulano Silver 24x36 in.



Silver



20MM ■ OUTDOOR PORCELAIN | 600x900mm / 24x36 in. | 600x600mm / 24x24 in.

TRAVERTINO RAPULANO


Crema 24x24 in.



Silver 24x24 in.



Gold 24x24 in.



Travertino rapulano Crema 24x24 in.



Travertino rapulano Gold 24x24 in.



TRAVERTINO RAPULANO

Crema 24x36 in.



Silver 24x36 in.



Gold 24x36 in.



Travertino Rapulano Crema 24x36 in.



Travertino Rapulano Gold 24x36 in.



NATURAL SLATE



Natural Slate 24x36 in.



COLORS



Natural Slate 24x36 in.




Slate



20MM ■ OUTDOOR PORCELAIN | 600x900mm / 24x36 in. | 600x600mm / 24x24 in.

NATURAL SLATE


Slate 24x24 in.



Natural slate 24x36 in.



Slate 24x36 in.



COBBLE STONE



Cobble Stone Ash 24x36 in.



COLORS



Cobble Stone Grey 24x36 in.



Grey



20MM ■ OUTDOOR PORCELAIN | 600x900mm / 24x36 in. | 600x600mm / 24x24 in.

COBBLE STONE

Ash 24x24 in.




Nero 24x24 in.



Grey 24x24 in.



Cobble Stone Ash 24x24 in.




Cobble Stone Grey 24x24 in.



COBBLE STONE

Ash 24x36 in.



Grey 24x36 in.




Nero 24x36 in.



Cobble stone Ash 24x36 in.



Cobble stone Nero 24x36 in.



BLUE STONE



Blue Stone Grey 24x36 in.




COLORS



Blue Stone Black 24x36 in.




Black




20MM ■ OUTDOOR PORCELAIN | 600x900mm / 24x36 in. | 600x600mm / 24x24 in.

BLUE STONE


Grey 24x24 in.




Black 24x24 in.




Grey 24x24 in.



Black 24x24 in.



Blue Stone Black 24x24 in.



Blue Stone Grey 24x24 in.



NOOR



Noor Crema 24x36 in.



COLORS



Noor Grigio 24x36 in.




Grigio



20MM ■ OUTDOOR PORCELAIN | 600x900mm / 24x36 in. | 600x600mm / 24x24 in.

NOOR


Lgy 24x24 in.



Crema 24x24 in.



Grigio 24x24 in.



Noor Lgy 24x24 in.




Noor Grigio 24x24 in.




NOOR


Lgy 24x36 in.



Grigio 24x36 in.



Crema 24x36 in.



Noor Lgy 24x36 in.



Noor Crema 24x36 in.



TECHNICAL CHARACTERISTICS

Sr. No.	TEST CONDUCTED	TEST RESULT	TEST REQUIREMENTS AS PER IS 15622 : 2006	REMARK
1	Water absorption (% by mass)	Average : 0.17	-	Based on the results of water absorption the tested tiles conformed to Gr. B Ib (0.08% ≤ 3%) of IS 15622 : 2006, Further test results were delivered as per requirements of Gr. B Ib
2	Modulus Of Rupture (MOR) N/mm ² Span Length = 580 mm Average thickness of the tiles measured = 19.81 mm	Average : 39.0 N/MM ²	(Gr. B Ia) Average 38 N/mm ² Individual 35 N/mm ² Minimum	Passed the test
3	Breaking Strength (N) Span Length = 580 mm Average thickness of the tiles measured = 19.81 mm	Average : 8090.0 N	(Gr. B Ia) For thickness > 7.5 mm 1200 N minimum	Passed the test
4	Scratch Hardness Surface (Mohs' scale)	No. 7	(Gr. B Ia) For commercial application 8 minimum, Home application 5 minimum	Passed the test
5	Thermal Shock Resistance	None of the tiles as tested showed any defects on surface at the end of the 10th cycle.	(Gr. B Ia) Tiles specimens should not show any visible defect when subjected to thermal shock resistance test as per test method IS 13630 : 2006 (Part 5) with Immersion	Passed the test
6	Bulk Density (gm/cc)	Average : 2.902	IS 13630 (Part 2) : 2006	
7	Co-efficient of Thermal Expansion from ambient Temperature to 100°C	L = 4.4956 (10 ⁻⁶ K ⁻¹) B = 4.6883 (10 ⁻⁶ K ⁻¹)	-	Passed the test
8	Straightness of Sides (facial sides) The maximum deviation from straightness in percent related to the corresponding work sizes	± 0.05 % (Max) ± 0.08 % (Max)	(Gr. B Ia) S > 410 cm ² ± 0.1 %	Passed the test
9	Rectangularity The maximum deviation from straightness in percent related to the corresponding work sizes	± 0.10 % (Max) ± 0.10 % (Max)	± 0.1 %	Passed the test
10	Surface Flatness The maximum deviation from flatness in percent			
	(a) Centre of curvature related to diagonal calculated from work size.	± 0.17 % (Max)	± 0.2 %	Passed the test
	(b) Edge of curvature related to the corresponding work size.	+ 0.10 % (Max) ± 0.14 % (Max)	± 0.2 %	Passed the test
(c) Warpage related to the diagonal calculated from the Work Size	± 0.09 % (Max) ± 0.06 % (Max)	± 0.2 %	Passed the test	
11	Chemical resistance			
	Five test specimens were treated with following solns.			
	(a) Centre of curvature related to diagonal calculated from work size.	± 0.17 % (Max)	± 0.2 %	Passed the test
	(b) Edge of curvature related to the corresponding work size	± 0.10 % (Max) ± 0.14 % (Max)	± 0.2 %	Passed the test
	(c) Warpage related to the diagonal calculated from the Work Size	± 0.09 % (Max) ± 0.06 % (Max)	± 0.2 %	Passed the test
	Five test specimens were treated with following solns.			
	1. Household Chemicals			
a) Ammonium Chloride soln. (100 gm/l)	No visual changes observed after immersion for 6 hrs., pencil lines removed with soft dry cloth.	" Class - AA " min.	Conformed to "Class-AA"	
b) Standard cleaning Agent soln., (as per procedure)	No visual changes observed after immersion for 6 hrs., pencil lines removed with soft dry cloth.	" Class - AA " min.	Conformed to "Class-AA"	
2. Swimming pool salts				
a) Sodium Hypochlorite Soln. (20 mg / l)	No visual changes observed after immersion for 6 hrs., pencil lines removed with soft dry cloth.	" Class - AA " min.	Conformed to "Class-AA"	
b) Copper Sulphate Soln. (20 mg / l)	No visual changes observed after immersion for 6 hrs., pencil lines removed with soft dry cloth.	" Class - AA " min.	Conformed to "Class-AA"	
3. Acids				
a) Hydrochloric acid Soln. 3 % (v/v)	No visual changes observed after immersion for 6 hrs., pencil lines removed with soft dry cloth.		Conformed to "Class-AA"	
b) Citric acid Soln. (200 mg / l)	No visual changes observed after immersion for 6 hrs., pencil lines removed with soft dry cloth.		Conformed to "Class-AA"	
4. Alkali				
Potassium hydroxide soln., (200 mg / l)	No visual changes observed after immersion for 6 hrs., pencil lines removed with soft dry cloth.		Conformed to "Class-AA"	






12	Skid Resistance / Surface Slip Resistance (a) Condi Tile Surface was cleaned thoroughly by wet cloth followed by dry cloth and ensured that the surface is completely clean and dry the b) Direction of Test 1) Parallel to sides (4 Measurements) 2) Diagonal to sides (4 Measurements)	Coefficient of friction μ 1) 0.83 2) 0.78 3) 0.77 4) 0.79 5) 0.76 6) 0.75 7) 0.76 8) 0.76	As per ISO 10545 Part - 17	
	13	Moisture expansion In(mm / mtr.)	0.00	Passed the test
14	Skid Resistance/ Surface Slip Resistance BS EN Standard specification EN:14411 :2016 (Group B Ia)		R-11	R-11

PACKING DETAILS (OUTDOOR)

SIZE	WEIGHT / BOX (KG)	PCS / BOX	BOXES / PALLATE	PALLATE / CTN	BOXES / CTN	MT2 / BOX	MT2 / PALLATE	MT2 / CTN	WEIGHT / CTN (KG)
600x900mm (20mm)	23.75	1	42	27	1134	0.54	22.68	612.36	27750
600x600mm (20mm)	32	2	32	26	832	0.72	23.04	599.04	27404
600x1200mm (20mm)	31.5	1	30	29	870	0.72	21.6	626.4	27950
300x1200mm (20mm)	31.5	2	28	30	840	0.72	20.16	604.8	27500
800x800mm (20mm)	29.5	1	30	31	930	0.64	19.2	595.2	27800

PACKING DETAILS (PATIOPACK)

SIZE	PCS/CRAT	MT2/PCS	MT2/CRAT (EACH SIZE)	IN KGS / CRAT	CRAT / CTN	MT2/CTN	WEIGHT / CTN (Kg)
600x900mm(20mm)	18	0.54	9.72	423.00	29	610.74	27282
600x600mm (20mm)	18	0.36	6.48	270.00			
600x296mm (20mm)	18	0.18	3.24	148.50			
296x296mm (20mm)	18	0.09	1.62	76.50			

BOX DESIGN	STANDARD SAFEDA PALLATE
 <p>OUTDOOR PORCELAIN TILES 600x600 MM</p> <p>600x600mm</p>	 <p>1193.80x749.30mm</p>  <p>1003.30x749.30mm</p>
 <p>OUTDOOR PORCELAIN TILES 600x900 MM</p> <p>600x900mm</p>	

GIRGRES
porcelain pavers

www.girgres.com
girgres.com